


CLAIMS

What is claimed is:

1. A coated substrate comprising:
a substrate;
5 a coating disposed on the substrate, wherein the coating comprises a self-assembled film having at least one bilayer, wherein each bilayer comprises a polyanion electrolyte layer and a polycation electrolyte layer, wherein an uppermost layer is a compound comprising a fluoroalkyl group; and
wherein each bilayer thickness ranges from about 0.1 nanometers to about 20
10 nanometers.
2. A coated substrate according to claim 1, wherein the substrate is an inorganic substrate selected from the group consisting of: silica glass, quartz glass, sapphire, ruby, spinel ceramic glass, yttrium silver, optical high-lead glass, cubic zirconia, a
15 reflecting material, and a high index optical quality glass.
3. A coated substrate according to claim 1, wherein the substrate is silica glass.
4. A coated substrate according to claim 1, wherein the substrate is an organic
20 substrate selected from the group consisting of: polyester, polycarbonate, polyacrylate, poly(methyl methacrylate), polyamide, and polystyrene.
5. A coated substrate according to claim 4, wherein the substrate is polycarbonate.
25
6. A coated substrate according to claim 4, wherein the substrate is polyester.
7. A coated substrate according to claim 4, wherein the substrate is polyacrylate.
8. A coated substrate according to claim 1, wherein the substrate is an optical
30 substrate.

9. A coated substrate according to claim 8, wherein the optical substrate is either transparent or reflecting.
10. A coated substrate according to claim 9, wherein the optical substrate is transparent.
11. A coated substrate according to claim 1, wherein the substrate has a shape selected from the group consisting of: curved, flat, cylindrical, conical, and spherical.
12. A coated substrate according to claim 11, wherein the substrate has a curved shape.
13. A coated substrate according to claim 11, wherein the substrate has a flat shape.
14. A coated substrate according to claim 1, wherein the polyanion electrolyte comprises a poly(acrylic acid) polyelectrolyte.
15. A coated substrate according to claim 14, wherein the poly(acrylic acid) polyelectrolyte has the structure:




where: $y = 1$ to 200,000;

M is selected from the group consisting of: H, Li, Na and K; and

R is selected from the group consisting of: hydrogen, methyl or ethyl.

16. A coated substrate according to claim 11, wherein the poly(acrylic acid)
5 polyelectrolyte is a fluorocarbon-modified poly(acrylic acid) having the structure:



where:

y = 0.1 to 90 mole percent;

10 M is selected from the group consisting of: H, Li, Na, and K;

R₁ is selected from the group consisting of: H, CH₃, and CH₃CH₂- ;

R₂ is selected from the group consisting of: H, CH₃, and CH₃CH₂- ;


R₃ is selected from the group consisting of: (-CH₂CH₂O)_x where x = 1 to 20;

R₄ is selected from the group consisting of: (-CF₂)_n CF₃ where n = 1 to 50.

15

17. A coated substrate according to claim 1, wherein the polycation electrolyte
comprises a poly(allylamine hydrochloride) polycation.


18. A coated substrate according to claim 17, wherein the poly(allylamine hydrochloride) polycation has the structure:



5 where $x = 1$ to 200,000.

19. A coated substrate according to claim 1, wherein the fluoroalkyl group has the structure:

10



where $x = 0$ to 50.

15

20. A coated substrate according to claim 1, wherein the polycation is a fluorinated polycation.

21. A coated substrate according to claim 1, wherein the polyanion is a fluorinated polyanion.

20

22. A coated substrate according to claim 1, wherein the coating comprises a plurality of bilayers and the coating has a thickness of about 0.1 nanometers to about 200 nanometers.

25

23. A coated substrate according to claim 22, wherein the coating has a thickness of about 1 nanometer to about 10 nanometers.

24. A coated substrate according to claim 1, wherein the coating absorbs less than 1% of transmitted light between wavelengths of about 300 nanometers to about 3000 nanometers.

5 25. A coated substrate prepared by:

- a) providing a substrate;
- b) applying a first electrolyte layer to the substrate;
- c) applying a second electrolyte layer to the first electrolyte layer and allowing the second electrolyte layer to react with the first electrolyte layer to form a bilayer;
- 10 d) applying a compound comprising a fluoroalkyl group to the bilayer to form a coating on the substrate.


15 26. A coated substrate according to claim 25, wherein the steps of applying a second electrolyte layer to the first electrolyte layer are repeated a plurality of times to form a coating having a thickness ranging from about 0.1 nanometers to about 200 nanometers.

20 27. A coated substrate according to claim 25, wherein the first electrolyte layer is a polyanion electrolyte layer and wherein the second electrolyte layer is a polycation electrolyte layer.

25 28. A coated substrate according to claim 25, wherein the first electrolyte layer is a polycation electrolyte layer and the second electrolyte layer is a polyanion electrolyte layer.

29. A coated substrate according to claim 27, wherein the polyanion electrolyte layer comprises a poly(acrylic acid) polyelectrolyte.

30. A coated substrate according to claim 29, wherein the poly(acrylic acid) polyelectrolyte has the structure:




5 where $y = 1$ to 200,000;

M is selected from the group consisting of: H, Li, Na and K; and

R is selected from the group consisting of: H, CH_3 -, and CH_3CH_2 -.

10 31. A coated substrate according to claim 29, wherein the poly(acrylic acid) polyelectrolyte is a fluorocarbon-modified poly(acrylic acid) having the structure:



where:

$y = 0.1$ to 90 mole percent;

15 M is selected from the group consisting of: H, Li, Na, and K;

R_1 is selected from the group consisting of: H, CH_3 , and CH_3CH_2 - ;


R_2 is selected from the group consisting of: H, CH_3 , and CH_3CH_2- ;

R_3 is selected from the group consisting of: $(-CH_2CH_2O)_x$ where $x = 1$ to 20;

R_4 is selected from the group consisting of: $(-CF_2)_n CF_3$ where $n = 1$ to 50.

5


32. A coated substrate according to claim 27, wherein the polycation electrolyte layer is a poly(allylamine hydrochloride) polycation having the structure:



10

where $x = 1$ to 200,000.

33. A coated substrate according to claim 28, wherein the polycation electrolyte layer is a poly(allylamine hydrochloride) polycation having the structure:




15

where $x = 1$ to 200,000.

34. A coated substrate according to claim 28, wherein the polyanion electrolyte layer comprises a poly(acrylic acid) polyelectrolyte.

35. A coated substrate according to claim 34, wherein the poly(acrylic acid) polyelectrolyte has the structure:




5 where: $y = 1$ to 200,000;

M is selected from the group consisting of: H, Li, Na and K; and

R is selected from the group consisting of: H, CH_3 -, and CH_3CH_2 -.

10 36. A coated substrate according to claim 34, wherein the poly(acrylic acid) polyelectrolyte is a fluorocarbon-modified poly(acrylic acid) having the structure:



where:

$y = 0.1$ to 90 mole percent;

15 M is selected from the group consisting of: H, Li, Na, and K;

R_1 is selected from the group consisting of: H, CH_3 -, and CH_3CH_2 - ;

R₃ is selected from the group consisting of: (-CH₂CH₂O)_x where x = 1 to 20;

R₄ is selected from the group consisting of: $(-\text{CF}_2)_n \text{CF}_3$ where n= 1 to 50.

37. A coated substrate according to claim 25, wherein the compound containing the fluoroalkyl group has the structure:



where $x = 0$ to 50.

38. A coated substrate according to claim 27, wherein the polyanion electrolyte layer comprises a fluorinated polyanion.

39. A coated substrate according to claim 27, wherein the polycation electrolyte layer comprises a fluorinated polycation.

20 40. A coated substrate according to claim 39, wherein the polyanion electrolyte layer comprises a fluorinated polyanion.

41. A coated substrate according to claim 25, wherein the polyanion electrolyte layer comprises a fluorinated polyanion.

25

42. A coated substrate according to claim 25, wherein the polycation electrolyte layer comprises a fluorinated polycation.

43. A coated substrate according to claim 42, wherein the polyanion electrolyte layer comprises a fluorinated polyanion.